

# Android SDK

## Release Notes

*Barcode SDK*  
*Ver. 1.15.01*



# Copyright

Copyright 2017. Aplusetech Co., Ltd. All rights reserved.

Apulsetech is the manufacturer of Apulsetech RFID handheld computers.

This document and related software in this device are protected by international copyright laws.

Any part of this document may not be reproduced, removed or used in any form by any means, without permission in writing from Apulsetech.

The contents in this manual is subject to change without prior notice.

Apulsetech and α811 are registered trademarks of Apulsetech Co., Ltd., all other trademarks and copyrights are property of their respective owners.

The software is provided for user understanding how to use the device and application development. All software, including firmware, is on a licensed basis.

No right to copy a licensed program in whole or in part is granted, to other device except as permitted under copyright law.

## **Apulsetech Co., Ltd.**

C-1211, 60, Haan-ro,  
Gwangmyeong-si,  
Gyeonggi-do,  
Republic of Korea

<http://www.apulsetech.com>

## Revision History

Change	Date	Description
Ver.1.04.00	2017/11/02	1 <sup>st</sup> Release
Ver.1.05.00	2017/11/10	SDK v1.05.00 Release
Ver.1.09.00	2018/03/09	SDK v1.09.00 Release
Ver.1.11.00	2018/05/07	SDK v1.11.00 Release
Ver.1.13.00	2018/07/30	SDK v1.13.00 Release
Ver.1.13.01	2018/08/22	SDK v1.13.01 Release
Ver.1.13.02	2018/09/10	SDK v1.13.02 Release
Ver.1.13.03	2018/10/01	SDK v1.13.03 Release
Ver.1.14.00	2018/11/08	SDK v1.14.00 Release
Ver.1.15.00	2018/12/26	SDK v1.15.00 Release
Ver.1.15.01	2019/01/14	SDK v1.15.01 Release

## Table of Contents

1.	Requirements .....	5
■	Supported Operating Systems.....	5
■	Supported Hardware .....	5
■	Supported IDE Environments.....	5
2.	Release History.....	6
■	V1.15.01.....	6
■	V1.15.00.....	6
■	V1.14.00.....	7
■	V1.13.03.....	8
■	V1.13.02.....	8
■	V1.13.01.....	8
■	V1.13.00.....	9
■	V1.11.00.....	9
■	V1.09.00.....	9
■	V1.05.00.....	9
■	V1.04.00.....	9
3.	Customer Support .....	10
1)	Technical Support.....	10
2)	Feedback.....	10

# 1. Requirements

## ■ Supported Operating Systems

The requirements for APULSETECH Android SDK are as shown below.

- ① Windows 7/8/10 or newer recommended
- ② Ubuntu Linux 14.04 LTS or newer recommended
- ③ OSX

## ■ Supported Hardware

- ① α811 Industrial Handset

## ■ Supported IDE Environments.

- ① Eclipse Neon for Android Application Developers with Android SDK
- ② Android Studio 3.0 or newer recommended

## 2. Release History

For details about the changes in each release, please refer to the summary of version history.

### ■ V1.15.01

#### New Features

#### Issue Fixes

- Improved multi connection handling of BLE remote connection.
- Improved error handling of remote connection.
- Improved touch control of expand and collapse for operation setting regions in demo app.

### ■ V1.15.00

#### New Features

- Added heartbeat packet ping and timeout handling for remote connection.
- Added excel export for barcode and tag data.
- Added multi language support for demo apps.
  - Currently supported languages  
English, Korean, Chinese, Japanese.
  - Remaining resources of barcode symbology configuration will be translated in the future release.
- Support additional remote connection interfaces.
  - Supported interfaces for remote connection, refer to below table.

		Remote Manager	Client OS		
			Android	Windows	iOS
Serial		O	X	O	X
USB to Serial		O	O <sup>1</sup>	O	X
USB	Remote	To be supported <sup>3</sup>	To be supported <sup>3</sup>	To be supported <sup>3</sup>	X
	HID	To be supported <sup>4</sup>	To be supported <sup>4</sup>	To be supported <sup>4</sup>	X
Bluetooth	BLE	O	O	To be supported <sup>2</sup>	To be supported
	SPP(Socket)	O	O	O	X
WiFi	Socket	O	O	O	To be supported
	P2P(Direct) + Socket	O	Δ Search only. Connection to be supported	O	X

\* Remark

1. Supported cables, refer to below table.
2. Compatibility problem of BLE connection control between Android and Windows.
3. Available after the device driver is supported.

- Multiple connection support for device scan and query<sup>1</sup>.

		Multiple clients → Device	Multiple devices → Client
Serial		X <sup>2</sup>	X <sup>2</sup>
USB to Serial		X <sup>2</sup>	X <sup>2</sup>
Native USB		X <sup>2</sup>	X <sup>2</sup>
Bluetooth	BLE	O	O
	SPP(Socket)	O	O

WiFi	Socket	O	O
	P2P(Direct) + Socket	O	O

\* Remark

1. Multiple connection is only available for device scan and query.  
The multiple connections to function modules including barcode and RFID are not allowed.
2. Single connection only due to its H/W interface limitation.

- Supported baud rates for USB to Serial interface, refer to below table.

	Supported chip	Supported bps
FTDI	FT231X series	TBD
	FT232R	TBD
Silicon Labs	CP210X series	TBD
Prolific	PL2303	115200, 230400, 460800, 921600
QinHeng	CH340	TBD

### Issue Fixes

- Updated 2D barcode libraries.
- Improved error control of remote connection.
- Changed the default timeout value of remote connection to 40s same as heartbeat.  
→ In remote scanner settings, select and test proper timeout value.
- Improved big data processing performance of demo apps.
- Applied miscellaneous bug fixes and improvements.

## ■ V1.14.00

### New Features

- Added sound volume control support.
- Added loading screen for initialization in demo app.
- Setting region can be hidden or shown by demand in demo app.
- Added data sort support in demo app.
- HID demo also supports remote connection with clipboard copy/paste.
- Added HID clipboard demo app.
- Support additional remote connection interfaces.

- Supported interfaces for remote connection, refer to below table.

		Remote Manager	Client OS		
			Android	Windows	iOS
Serial		O	X	O	X
USB to Serial		To be supported	O <sup>1</sup>	O	X
Bluetooth	BLE	O	O	To be supported	To be supported
	SPP(Socket)	O	O	To be supported	X
	Socket	O	O	To be supported	To be supported
WiFi	P2P(Direct) + Socket	O	△ Search only. Connection to be supported	To be supported	X

\* Remark

1. Supported cables, refer to below table.

- multiple connection support for device scan and query<sup>1</sup>.

		Multiple clients → Device	Multiple devices → Client
Serial		X <sup>2</sup>	X <sup>2</sup>
USB to Serial		X <sup>2</sup>	X <sup>2</sup>
Bluetooth	BLE	Δ Supported. But needs improvements.	O
	SPP(Socket)	To be supported	O
WiFi	Socket	To be supported	O
	P2P(Direct) + Socket	X	Δ Search only. Connection to be supported.

\* Remark

1. Multiple connection is only available for device scan and query.  
The multiple connections to function modules including barcode and RFID are not allowed.
2. Single connection only due to its H/W interface limitation.

- Supported baud rates for USB to Serial interface, refer to below table.

	Supported chip	Supported bps
FTDI	FT231X series	TBD
	FT232R	TBD
Silicon Labs	CP210X series	TBD
Prolific	PL2303	115200, 230400, 460800, 921600
QinHeng	CH340	TBD

### Issue Fixes

- Updated 2D barcode libraries.
- Improved error control of remote connection.
- Improved search and connection stability of remote device.
- Fixed binding leaks of HID services.
- Applied miscellaneous bug fixes and improvements.

## ■ V1.13.03

### New Features

- Added Inverse 1D barcode setting.

### Issue Fixes

## ■ V1.13.02

### New Features

### Issue Fixes

- Updated audio resources for demo apps.

## ■ V1.13.01

### New Features

### Issue Fixes



- Updated Remote Manager app.

## ■ V1.13.00

### **New Features**

- Added trigger control option to demo app.
- Added multi event listener support.

### **Issue Fixes**

- Removed vibrator setting option from barcode demo app.
- Revised settings not to be allowed to change while operation is running
- Fixed some crash issues of demo app.
- Resolved a remote response parsing error.

## ■ V1.11.00

### **New Features**

- Added remote device connection support through serial, BLE and WiFi for barcode scanner.

### **Issue Fixes**

- Fixed the parameter handling issues of symbology settings.
- Improved handling of some GUI widget controls in demo apps.
- Added extra improvements and fixes.

## ■ V1.09.00

### **New Features**

- Added handsfree and auto mode support.
- Renewed demo apps.

### **Issue Fixes**

- Fixed random crash issues while executing scanner operations.

## ■ V1.05.00

### **New Features**

### **Issue Fixes**

- Resolved the value reset issue of barcode settings which is previously configured.

## ■ V1.04.00

### **New Features**

- First release.

### **Issue Fixes**

### **3. Customer Support**

#### **1) Technical Support**

Please visit APULSETECH website for technical support. You can report your issues and get its answers. Also, you can get all the latest information and updates for products and its software.

#### **2) Feedback**

Please send us your feedbacks about APULESTECH products.